

INTEGRATING ICT WITH EDUCATION: DESIGNING AN EDUCATIONAL COMPUTER GAME FOR TEACHING FUNCTIONS IN UNDERGRADUATE MATHEMATICS

R. W. Mwangi, R. Waweru and C. W. Mwathi

Jomo Kenyatta University of Agriculture and Technology, Nairobi, Kenya

E-mail: rosamwangi@yahoo.com

Abstract

This research seeks to look into the design process that promotes the development of an educational computer game that supports teaching and learning processes. The research specifically looks at the design of an educational computer game for teaching and learning of the topic of functions. The topic is essential in the teaching and learning of Mathematics courses such as Discrete Mathematics, Real Analysis and Calculus among others at Jomo Kenyatta University of Agriculture and Technology (JKUAT) Kenya. The computer game was developed using the Basic Unified process (BUP) which is a streamlined version of the rational unified process (RUP). This is an object oriented methodology mostly used for small projects with few end users. Due to the few numbers of end users we used interview method of data collection to gather requirements for the computer game. A paper prototype was used to validate the requirements. Use cases were used for both analysis and design of the game while Class diagrams and activity diagrams were purely used for the design of the game. Owens' six top level design anatomy aided in the design of the computer game. The overall computer game design was based on Crawford's computer game design sequence model. The well designed and developed game met all its user requirements and was able to facilitate the teaching and learning of functions to Bachelor of Science in Mathematics and Computer Science students who were taking Discrete mathematics in their first year of study at JKUAT's Taita/Taveta campus. Development of heuristics for measuring interest, fun and motivation are recommendations given to aid in the evaluation of user satisfaction of educational computer games.

Key words: ICT, educational computer games, computer game design, functions

1.0 Introduction

(Klopfer *et al.*, (2009), asserts that "technology can have a reciprocal relationship with teaching. The emergence of new technologies pushes educators to understanding and leveraging these technologies for classroom use; at the same time, the on-the-ground implementation of these technologies in the classroom can (and does) directly impact how these technologies continue to take shape." How well an educational computer game is designed determines the level of success of use in the classroom setting. This research lays particular emphasis on the design of a game with an educational component to it. It stresses on the importance of developing a well designed computer game that will not only entertain the student but also support the teaching and learning process. To support teaching and learning a computer game must create an appropriate mapping of education and engagement. The computer game developed followed a formal systems development methodology called Object Oriented systems development.

Object oriented systems analysis and design approach was used for the analysis (requirements engineering) and design of the computer game. Object oriented approach views information systems as a collection of interacting objects that work together to accomplish tasks. Objects are things in a computer system that can respond to messages. Object oriented approaches include the rational unified processes and the basic unified process which is a streamlined version of the rational unified process. The basic unified process was used since it is a process that focuses on practices suited to most small projects and teams.

Basic unified process method content is focused on the following disciplines: requirements engineering, architecture (analysis and design), development, testing, project management and change management.

The computerized game is developed using full professional acrobat reader version 9 and games' logic and control is embedded adobe java script a type of java script customised for adobe documents.

This research paper looks at the design of the computer game which in BUP is intertwined with analysis phase.

2.0 Requirements Engineering

Requirements engineering is a process whereby the requirements for the computer game are gathered from the users and analysed. Three lecturers from the Department of Mathematics at Jomo Kenyatta University of Agriculture and Technology (JKUAT) provided a set of problems (requirements) which translated into the computer game functionality. This was an iterative activity which included documenting the requirements the computer game was to provide, analysis of the requirements for any possible omissions, contradictions and ambiguities and review of the requirements after validation before moving to the design stage.

A paper prototype of the computerised game was generated using Microsoft word. This paper prototype simulated the user interface as it would appear to a player on a computer screen and the developer walked the users through to make sure all the requirements had been captured.

3.0 Anatomy and Design of the Developed Game

This section looks into the design of the computer game for teaching and learning function from Owens' design anatomy of a computer game. According to (Owen, 2004), 'Anatomy is a study that arises from dissection'. An anatomy of the game aided in better design of the computer game. Owen, (2004) bases anatomy on six top-level categories of game components: game aims; game location; game pieces/players; the means of making progress in the game; game language; and the time frames of games. It is on these six levels that the computer game for teaching functions is based on. The game has five levels as shown in the following class diagram




Figure 1: Class Diagram

3.1 Game Aims

Any computer game must have aims which should be achieved. Rules and objectives form part of the aims of a game. (Owen, 2004) recognises that in many games a strong fantasy and/or narrative are important and that in all games there is also a set of objectives that give rise to the nature of the game activity – the Gameplay'. In the developed computer game the aim of the game is to play all the five levels and achieve a minimum of 60% in each level in order to progress to the next level. A player cannot proceed to another level until he or she achieves a minimum score of 60%. Figure 2 shows an UML activity diagram that was produced to design the computer game rules. Screen shot 1.0 show the actual screen on the computer game where the game rules are displayed before the game starts.




Figure 2: Game rules activity diagram



Screen Shot 1.0

3.2 Location

Location is an important component in computer game play. Owen (2004) points out that ‘Games can take place in real spaces, virtual spaces and some games do not involve any particular space at all’.


Real space may be bound, unbound or augmented. Virtual spaces may include audio and visual screens, boards and mazes. In the developed computer game paper diagrams have been simulated on computer screen and interface provided where the user interacts with the game as would on paper. This is shown in Screen Shot 2.0 below.

00:00:08:33


Level 1 (Concept of relations)

A relation is a mathematical way to connect one set with another set. The two sets may be the same.

a) Identify and map the corresponding domain set into the range set in the following where Muthoni and Wairimu are daughters of Rose while Wambui, Angela and Fura are daughters of Cecilia.



D



R

Angela →


Muthoni →

Wairimu →

Wambui →


Fura →

b) Which of the following statements are relations given the case scenario in the diagram below where D1, D2, D3 are daughters of the couples F and M. Check appropriately:



A

D=Children



B

R=Parents


i) Relation R1 given the rule relating A to B "is a daughter of"

ii) Relation R1 given the rule relating A to B "is a child of"

iii) Relation R1 given the rule relating A to B "is a son of"

c) Construct a relation for the following domain with D1 and D2 daughters of M1 and D3, D4 and D5 daughters of M2.

i)



D=Daughters

R=Mothers

Next
LEAVE

Screen Shot 2.0

Non-location specific games can be played anywhere for example in a car, a school play ground. For computerised games it can be on any platform that is any type of operating system, hardware, online or offline, web based etc.

3.2 Game Pieces/Players

A piece means anything that is engaged in the play. It could be a simple counter, human player, a proxy item a token, a drop down menu with a list of possible answers for a quiz, a blank space that could be used to provide an answer or instruction, a blinking object etc. There is uniformity in pieces in a game. In the developed game the pieces include the player, the quiz questions and answers, blank spaces for putting down answers, drop down

menus with answers and diagrams. In object Oriented design the pieces and players are represented by actors and uses cases in a use case diagram. The actors and the use cases for the computer game are shown in the following two use case diagrams: *Figure 3* game play use case diagram and *Figure 4* game control use case diagram. The game play use case shows two actors and five use cases. While the game control use case has two actors and four use cases.




Figure 3: Play game use case




Figure 4: Game control use case

3.3 Language

A computer game should make use of language specific to the simulated physical game or activity in the case of the computer game for teaching and learning functions. The developed computer game makes use of mathematical terms used in the teaching of functions see screen shot 3.0 below. This makes the game easier to learn and play by students taking the mathematics course since they do not have to learn new terms to play the game. This is also referred to as transfer of learning.

00:02:00:27

d) Given set A as Domain and set B as the Range identify relation(s) in a family of father, mother, two daughters and son. Construct a relation

i) $D = \{F, M, D_1, D_2, S_1\}$ $R = \{F, M, D_1, D_2, S_1\}$

F=Father
M=Mother
D₁=Daughter
D₂=Daughter
S₁=Son
i= 1, 2

R: Belong to the same family

ii) $D = \{F, M\}$ $R = \{F, M, D_1, D_2, S_1\}$

F=Father
M=Mother
D₁=Daughter
D₂=Daughter
S₁=Son
i= 1, 2

"is a father of"
 "is a mother of"
 "is a parent of"
 "Belong to the same family"

e) Taking A= set of natural numbers between 5 and 10 inclusive. Give the range, sets B, given the following rules. Comma separated values.

i) $x \rightarrow 2x$ 10,12,14,16,18,20
 ii) $x \rightarrow 3x+1$ 16,19,22,25,28,31

You scored 95.45. Proceed to the next level

Next Restart Level Restart Game LEAVE

Screen shot 3.0

3.5 Time

In most computer games timing and speed are part of the gaming process. Some computer games allow a player to complete the level even when one does not play in the required time given but of course marks for time are not awarded or in some instances one is penalised for taking too long to play a game. Some computer games lock out a player out of a session once the time elapses and the level has to be replayed. In the developed computer game since it is a game that is meant to aid acquisition of knowledge the timing has been provided but that's meant for the players to see how long they have taken to play the game. Once the player completes the entire game that is all the five levels the aggregate marks for the five levels are displayed including the time taken to play the game. The timing component was designed as a use case as illustrated in fig 3 play game use case above.

3.6 Making Progress

Journeying towards the achievement of a game goal is the most important goal in any computer game. There are many factors that may influence how one progresses from one level to another. This may include according to (Owen, 2004) random elements; physical effort (with and without the support of other devices); solving puzzles; answering quiz questions; and cheating. In the developed computer games factors that affect the journeying towards the achievement of the goal include first the physical effort that is speed of typing, second level of computer literacy skills and third mastery of the subject content, those who have prior knowledge of functions were able to answer most of the questions correctly and therefore getting the required minimum score for progressing to the next level. The computer game design incorporated a definition for the subtopic for each level to aid the students in remembering the subject. The structure of the game is illustrated in Figure 5 Start to Stop Activity Diagram below.




Figure 5: Start to stop activity diagram

3.7 Model Used for the Design and Development of the Computer Game for Teaching Functions

From literature review that has been conducted there is a general consensus that for instructional computer games to be effective they must be designed to support instructional objectives. Proper and systematic analysis and design of computer games facilitates learning of both specific domain knowledge and concepts, and several cognitive skills like pattern recognition, decision-making and problem-solving. There are a number of models that have been developed to be used for the development of instructional computer games. This research based its computer game development on Crawford's model. (Crawford, 1982) describes the computer game design sequence model as: choosing a goal and a topic, researching, designing, programming, play testing, and post-mortem.

4.0 Research Findings

Research findings indicate that well designed computer games are a success in their use in the classroom teaching and can prepare our students to learn critical problem-solving and decision-making skills necessary for the real world.

Computer games enhance motivation and increase students' interest in subject matter. Educational games have to be intrinsically motivating to appeal to the gamers. They should incorporate learning activity in a virtual world. (Maja et al, 2003) argues that for intrinsic games "Game characters have to solve a certain problem and can proceed further only after solving the problem. In this case the problem is part of the game and players are motivated to provide a solution in order to continue with the game". An example for intrinsic motivation in the computer game for teaching functions is where players have to achieve a minimum score of 60% in order to proceed to the next level. This intrinsic appeal of computer games is making them very attractive ICT tools for teaching and learning. The developed computer game was not only entertaining but supported the teaching and learning of functions. This is supported by comments given by feedback and comments given by students who played the game see Table 1.0 below.

Table 1: Comments from the players after game play

<i>Student</i>	<i>Comments</i>	<i>Student</i>	<i>Comments</i>
Std001	Interesting game for learning how to solve Functions in Discrete Mathematics.	Std002	Has helped in having a deep understanding of relations and functions
Std003	Fun and educative	Std004	The game has a lot of fun and the same time making one to think critically and fast.
Std005	The game is so good. Actually it has made me understand functions more than what I had learnt before. It has also helped me to differentiate between one to one functions, onto functions and one to one and onto function.	Std006	The game is educative and helps in good understanding of the functions.
Std007	It's fun and educative more Mathematics games should be provided	Std008	The game is interesting to play and quite educative for learning purposes.
Std009	The game is very good. It has made me master functions and differentiate between functions and relations.	Std0010	A very interactive way of educating students in terms of showing/expressing skills learnt in class. Helps one understand better.

The computer game was able to create an appropriate mapping of education and engagement.

5.0 Conclusion and Recommendations

There are many issues that need to be addressed before the education sector can fully realise the full potential of using computer games as a way of integrating ICT with education. (Hui, 2009) states that "The greatest impetus is the tussle between commercialism and education. Most commercially-made computer games are based on some inaccurate, badly designed and often violent themes.

Particular characteristics and challenges of a computer game design raise concerns over design issues, educational aims of the game and the learning outcomes that educational designers should deal with. These challenges can only be overcome through careful design and development of the computer game. Thorough evaluation both for systems performances and whether the system meets its learning objective is needed for the computer game to realize its full potential in supporting teaching and learning.

Further studies might explore what makes computer games interesting, fun and motivating enough to support teaching and learning. Heuristics for measuring interest, fun and motivation could also be developed to aid in the evaluation of educational computer games.

References

Chang Suo Hui (2009). Learning mathematics through computer games. Retrieved from http://atcm.mathandtech.org/EP2009/papers_full/2812009_17199.pdf (Accessed 6th April 2009).

Crawford, C. (1982). *The Art of Computer Game Design*, Berkeley, CA: Osborne/McGraw-Hill, 77-92.

Klopper, E., Osterweil, S, Groff, J, Haas, J. (2009). Using the Technology of Today in the Classroom Today; The Instructional Power of Digital Games, Social Networking, simulations and How Teachers Can Leverage Them: an Education Arcade paper. http://education.mit.edu/papers/GamesSimsSocNets_EdArcade.pdf (Accessed 31/10/2010).

Maja Pivec, Olga Dziabenko and Irmgard Schinnerl (2003). *Aspects of Game- Based Learning*.

Martin, O. (2004). *An Anatomy of Games; A discussion paper*. Futurelab September www.futurelab.org.uk. (Accessed 7 September, 2007).